OL.
5
982

FATIGUE OF ENGINEERING MATERIALS AND STRUCTURES

The International Journal

Editor: K.J.MILLER University of Sheffield

Volume Contents and Author Index to Volume 5, 1982

Pergamon Press: Oxford · New York · Toronto · Paris · Frankfurt

FATIGUE OF ENGINEERING MATERIALS AND STRUCTURES

The International Journal

EDITOR

K. J. MILLER, Department of Mechanical Engineering, University of Sheffield, Mappin Street, Sheffield S1 3JD, U.K.

BOARD OF DIRECTORS OF FATIGUE OF ENGINEERING MATERIALS LTD

B. A. Bilby
C. J. Beevers
L. F. Coffin
D. S. Dugdale
N. E. Frost
G. W. Greenwood
C. Laird
K. J. Miller (*Chairman*)
B. Tomkins

EDITORIAL BOARD

A. S. Argon, Massachusetts Institute of Technology, Cambridge, Mass.
M. F. Ashby, University of Cambridge, U.K.
G. I. Barenblatt, Moscow, U.S.S.R.
J. M. Barsom, U.S. Steel Research Laboratories, Monroeville, Pa.
C. J. Beevers, University of Birmingham, U.K.
B. A. Bilby, University of Sheffield, U.K.
C. R. Brinkman, Oak Ridge National Laboratory, Tenn.
L. M. Brown, University of Cambridge, U.K.
M. W. Brown, University of Sheffield, U.K.
J. Carlsson, Royal Institute of Technology, Stockholm, Sweden.
Z. M. Cheng, Chinese Academy of Sciences, Beijing, China.
L. F. Coffin, General Electric Co. Research and Development Center, New York.
B. J. Darlaston, Central Electricity Generating Board, Berkeley, U.K.
N. E. Dowling, Virginia Polytechnic Institute, U.S.A.
D. S. Dugdale, University of Sheffield, U.K.
E. G. Ellison, University of Bristol, U.K.
J. M. Finney, Aeronautical Research Laboratories, Melbourne, Australia.
D. Francois, U.T.C. Département de Génie Mécanique, Compiegne, France.
N. E. Frost, National Engineering Laboratory, East Kilbride, U.K.
G. W. Greenwood, University of Sheffield, U.K.
H. Kitagawa, University of Tokyo, Japan.
M. Klesnil, Czechoslovak Academy of Sciences, Brno, Czechoslovakia.
J. F. Knott, University of Cambridge, U.K.
J. M. Krafft, Naval Research Laboratory, Washington, D.C.
T. Kunio, Keio University, Yokohama, Japan.
C. Laird, University of Pennsylvania, Philadelphia, Pa.
R. W. Landgraf, Ford Motor Company, Dearborn, Mich.
J. Lankford, Southwest Research Institute, San Antonio, Texas, U.S.A.
I. LeMay, University of Saskatchewan, Saskatoon, Canada.
H. Li, Huazhong Institute of Technology, Wuhan, China.
T. C. Lindley, Central Electricity Generating Board, Leatherhead, U.K.
H. W. Liu, Syracuse University, N.Y.
E. Macherauch, University of Karlsruhe, West Germany.
A. J. McEvily, University of Connecticut, Storrs, Conn.
S. S. Manson, Case Western Reserve University, Cleveland, Ohio.
J. Morrow, University of Illinois, Urbana, Ill.
D. F. Mowbray, General Electric Co., Schenectady, N.Y.
J. Němec, Prague, Czechoslovakia.
J. C. Newman, National Aeronautics and Space Administration, Hampton, Va.
K. Ohji, Osaka University, Japan.
V. V. Panasyuk, Institute for Physics and Mechanics, Lvov, U.S.S.R.
R. N. Parkins, Newcastle University, Newcastle-upon-Tyne, U.K.
K. J. Pascoe, University of Cambridge, U.K.
R. M. Pelloux, Massachusetts Institute of Technology, Cambridge, Mass.
A. Pineau, Ecole nationale supérieure des Mines de Paris, Evry Cedex, France.
G. S. Pisarenko, Institute for Problems of Strength, Kiev, U.S.S.R.
W. J. Plumbridge, University of Bristol, U.K.
Y. N. Rabotnov, Moscow State University, U.S.S.R.
R. O. Ritchie, Massachusetts Institute of Technology, Cambridge, Mass.
J. Schijve, Delft University of Technology, Netherlands.
R. A. Smith, University of Cambridge, U.K.
D. Socie, University of Illinois, U.S.A.
M. O. Speidel, Brown, Boveri & Co. Ltd., Baden, Switzerland.
P. Stanley, University of Manchester, U.K.
G. Sumner, United Kingdom Atomic Energy Authority, Preston, U.K.
D. M. R. Taplin, Trinity College, Dublin, Ireland.
B. Tomkins, United Kingdom Atomic Energy Authority, Preston, U.K.
V. T. Troshchenko, Institute for Problems of Strength, Kiev, U.S.S.R.
P. Watson, G.K.N. Group Technological Centre, Wolverhampton, U.K.
A. A. Wells, The Welding Institute, Cambridge, U.K.
T. Yokobori, Thoku University, Sendai, Japan.

VOL. 5 1982

Published quarterly

Subscription Rates 1983 (including postage and insurance): for Libraries, University Departments, Government Laboratories, industrial and other multiple-reader Institutions, US $125.00 per annum. Two-year rate, 1983/84 US $237.50. *Specially reduced rates to individuals.* In the interests of maximizing the dissemination of the research results published in this important international journal, we have established a two-tier price structure. Any individual whose institution takes out a library subscription may purchase a second or additional subscription for their personal use at a much reduced rate of US $40.00. Subscription enquiries from customers in North America should be sent to: Pergamon Press Inc., Maxwell House, Fairview Park, Elmsford, NY 10523, U.S.A., and for the remainder of the world to: Pergamon Press Ltd., Headington Hill Hall, Oxford OX3 0BW, U.K. *Microform Subscription.* Subscriptions are available on microfiche simultaneously with the paper edition and on microfilm on completion of the annual index at the end of the subscription year.

Copyright © 1983 Fatigue of Engineering Materials Ltd.

It is a condition of publication that manuscripts submitted to this journal have not been published and will not be simultaneously submitted or published elsewhere. By submitting a manuscript, the authors agree that the copyright for their article is transferred to Fatigue of Engineering Materials Ltd. if and when the article is accepted for publication. However, assignment of copyright is not required from authors who work for organisations which do not permit such assignment. The copyright covers the exclusive rights to reproduce and distribute the article, including reprints, photographic reproductions, microform or any other reproductions of similar nature and translations. No part of this publication may be reproduced, stored in a retrieval system or transmitted in any form or by any means, electronic, electrostatic, magnetic tape, mechanical, photocopying, recording or otherwise, without permission in writing from the copyright holder.

U.S. Copyright Law applicable to Users in the U.S.A.

The Article Fee Code on the first page of an article in this journal indicates copyright owner's consent that, in the U.S.A., copies may be made for personal or internal use provided the stated fee for copying beyond that permitted by Section 107 or 108 of the United States Copyright Law is paid. The appropriate remittance should be forwarded with a copy of the first page of the article to the Copyright Clearance Center Inc., 21 Congress Street, Salem, MA 01970. If a code does not appear copies of the article may be made without charge, provided permission is obtained from the publisher and from Fatigue of Engineering Materials Ltd. The copyright owner's consent does not extend to copying for general distribution, for promotion, for creating new works or for resale. Specific written permission must be obtained from the publisher and from Fatigue of Engineering Materials Ltd. for such copying. In case of doubt please contact your nearest Pergamon office.

PERGAMON PRESS
HEADINGTON HILL HALL, OXFORD OX3 0BW
MAXWELL HOUSE, FAIRVIEW PARK, ELMSFORD, NY 10523

FATIGUE OF ENGINEERING MATERIALS AND STRUCTURES

The International Journal

Volume 5, No. 1 **1982**

CONTENTS

G. Hua, M. W. Brown and K. J. Miller	1	Mixed-mode fatigue thresholds
J. Polák and M. Klesnil	19	The hysteresis loop 1. A statistical theory
J. Polák, M. Klesnil and J. Helešic	33	The hysteresis loop 2. An analysis of the loop shape
J. Polák, M. Klesnil and J. Helešic	45	The hysteresis loop 3. Stress-dip experiments
N. R. Moody and W. W. Gerberich	57	The effect of hydrogen on fatigue and dislocation behavior of an α/β titanium alloy
I. Roman and D. Jinchuk	71	Fatigue crack growth in a sintered tungsten alloy
J. Schijve	77	The stress intensity factor of small cracks at notches
M. A. Ritter and R. O. Ritchie	91	On the calibration, optimization and use of d.c. electrical potential methods for monitoring Mode III crack growth in torsionally-loaded samples
W. J. Plumbridge, M. S. Dean and D. A. Miller	101	The importance of failure mode in fatigue–creep interactions

Volume 5, No. 2 **1982**

CONTENTS

B. S. Greenwell and R. N. Parkins	115	Corrosion fatigue of mild steels in a sodium nitrate solution
S. Suresh, I. G. Palmer and R. E. Lewis	133	The effect of environment on fatigue crack growth behavior of 2021 aluminum alloy
I. F. C. Smith and R. A. Smith	151	Defects and crack shape development in fillet welded joints

Gu Mingda, Zhang Yongkui and Yan Minggao	167	An evaluation of overload models on the retardation behavior in a Ti–6Al–4V alloy
J. E. King	177	Surface damage and near-threshold fatigue crack growth in a Ni-base superalloy in vacuum
	189	Announcement

Volume 5, No. 3 **1982**

VOL. 5 1982

CONTENTS

M. Ya. Filatov	191	Fatigue damage–diffuse light transmission dependence of GRP laminates
J. Nemec	205	Damage to structures by high-cycle fatigue
G. Gabetta	215	A method to measure electrochemical potential at the tip of a growing crack during an environmental fatigue test
Euromech 151—The creation and behaviour of short fatigue cracks	221	
K. J. Miller	223	The short crack problem
J. Lankford	233	The growth of small fatigue cracks in 7075–T6 aluminum
Wang Tzu Chiang and K. J. Miller	249	Elastic–plastic finite element analyses of short cracks
	265	Announcement

Volume 5, No. 4 **1982**

CONTENTS

M. M. Hamdy and R. B. Waterhouse	267	The fretting fatigue behaviour of the titanium alloy IMI 829 at temperatures up to 600°C
D. Gladwin and D. A. Miller	275	The effect of cycle waveshape on the low cycle fatigue behaviour of 20% Cr–25% Ni–Nb stainless steel at 650°C
F. Hourlier and A. Pineau	287	Propagation of fatigue cracks under polymodal loading

Euromech 151—The creation and behaviour of short fatigue cracks	303	
D. Taylor	305	Euromech colloquium on short fatigue cracks
F. Guiu, R. Dulniak and B. C. Edwards	311	On the nucleation of fatigue cracks in pure polycrystalline α-iron
P. D. Hobson	323	The formulation of a crack growth equation for short cracks
M. S. Starkey and R. P. Skelton	329	A comparison of the strain intensity and cyclic J approaches to crack growth
R. J. Allen and J. C. Sinclair	343	The behaviour of short cracks
W. D. Dover	349	Crack shape evolution studies in threaded connections using A.C.F.M.
	355	Announcements
	i	New Patent and Published Patent applications from the United States and over 30 other countries

CL.
5
982

AUTHOR INDEX

Allen, R. J. 343

Brown, M. W. 1

Dean, M. S. 101
Dover, W. D. 349
Dulniak, R. 311

Edwards, B. C. 311

Filatov, Ya. M. 191

Gabetta, G. 215
Gerberich, W. W. 57
Gladwin, D. 275
Greenwell, B. S. 115
Gu Mingda, 167
Guiu, F. 311

Hamdy, M. M. 267
Helesic, J. 33
Helesic, J. 45
Hobson, P. D. 323
Hourlier, F. 287

Jinchuk, D. 71

King, J. E. 177
Klesnil, M. 19, 33, 45

Lankford, J. 233
Lewis, R. E. 133

Miller, D. A. 101, 275
Miller, K. J. 1, 223, 249
Moody, N. R. 57

Nemec, J. 205

Palmer, I. G. 133
Parkins, R. N. 115
Pineau, A. 287
Plumbridge, W. J. 101
Polak, J. 19, 33, 45

Ritchie, R. O. 91
Ritter, M. A. 91
Roman, I. 71

Schijve, J. 77
Sinclair, J. C. 343
Skelton, R. P. 329
Smith, I. F. C. 151
Smith, R. A. 151
Starkey, M. S. 329
Suresh, S. 133

Taylor, D. 305

Wang Tzu Chiang, 249
Waterhouse, R. B. 267

Yan Minggao, 167

Zhang Yongkui, 167

VOL. 5 1982

CL.
5
982